



Department of Transport

Supplemental Type Certificate

This approval is issued to:

Fantasy Sky Promotions Inc.
205 Bridge St.
New Dundee, Ontario
Canada N0B 2E0

Number: SB90-1

Issue No.: 6

Approval Date: 09 February, 1990

Issue Date: 24 November, 2005

Responsible Office:

Ontario

Aircraft/Engine Type or Model:

FANTASY FANTASY EIGHT (AX-8), FANTASY EIGHT-90 (AX-8-90), FANTASY NINE-122 (AX-9-122), FANTASY SEVEN (AX-7), FANTASY SEVEN-65 (AX-7-65), FANTASY SIX (AX-6)

Canadian Type Certificate or Equivalent:

B-4

Description of Type Design Change:

Attachment of various Basket (Gondola) and Burner (Heater) Systems.

**Installation/Operating Data,
Required Equipment and Limitations:**

Installation of the Cameron, Aerostar (Raven), Thunder & Colt, Lindstrand or Balloon Works (Sidney Conn) basket and burner combination of systems as authorized in the applicable OEM TCDSs and/or Flight Manuals may be accomplished on the Fantasy envelopes as specified on Fantasy Sky Promotions "Eligibility List" Drawing no. SB90 rev. 6 dated 21 July, 2005 and Transport Canada approved 22 November, 2005 or later approved revision.

The Balloon /envelope must be operated in accordance with Fantasy Sky Promotions Flight Manual, Issue 2, Transport Canada approved 13 March, 1992 or later TCCA approved revisions.

The basket, burner and fuel cylinders must be operated in accordance with their manufacturer's Flight Manuals(s) as listed in the applicable Type Certificate as noted in the "Eligibility List" Drawing no. SB90 rev. 6 dated 21 July, 2005.

The envelope must be maintained in accordance with Fantasy Sky Promotions Free Flight Hot Air Balloon Maintenance Manual, Issue 2 dated March, 1992.



Conditions: This approval is only applicable to the type/model of aeronautical product specified therein. Prior to incorporating this modification, the installer shall establish that the interrelationship between this change and any other modification(s) incorporated will not adversely affect the airworthiness of the modified product.

James W. Palmer
Senior Engineer – Aircraft Certification
For Minister of Transport



NOTE: THIS ADDENDUM SHALL REMAIN PART OF THE CERTIFICATE REFERRED TO THEREIN.

The basket, burners and fuel cylinders must be maintained in accordance with their manufacturer's Maintenance Manuals(s) as listed in the applicable Type Certificate as noted in the "Eligibility List" Drawing no. SB90 rev. 6 dated 21 July, 2005.

LIMITATIONS

When combining any envelope with any basket/burner system, the component with the lowest Maximum Allowable Weight will be chosen as the Maximum Allowable All Up Weight for the combination of components.

A copy of this certificate along with a copy of the "Eligibility List" Drawing no. SB90 rev. 6 dated 21 July, 2005 or later approved revisions will be attached to the applicable Fantasy Sky Promotions Flight Manual, Issue 2, Transport Canada approved 13 March, 1992 or later TCCA approved revisions.

The AX-8 (105,000 cu.ft.) when certified to the higher Maximum Allowable All Up Weight of 1,800 lbs and the AX-9-122 must always be equipped with dual burners. Minimum burner system allowed for these Balloons are as follows:

For Thunder & Colt, Double Mark 2 or Magnum burners or subsequent,
For Cameron, Double Mark IV burners or subsequent,
For Aerostar (Raven), Double Mark HP burners or subsequent,
For Lindstrom (Kempner), Jetstream Double burners or subsequent,
For Balloon Works (Sidney Conn), T3-017 Double burners or subsequent.

-END-

United States of America
Department of Transportation -- Federal Aviation Administration
Supplemental Type Certificate
IMPORT

Number SB750NE

This certificate issued to Fantasy Sky Promotions Inc.
Box 69, 1439 Bridge St.
New Dundee, Ontario
Canada NOB 2E0

certifies that the change in the type design for the following product with the limitations and conditions therefore as specified hereon meets the airworthiness requirements of Part 31 of the Federal Aviation Regulations.

Original Product -- Type Certificate Number : B1NE

Make : Fantasy Sky Promotion

Model : Fantasy Six (AX-6), Fantasy Seven-65 (AX-7-65), Fantasy seven (AX-7),
Fantasy Eight (AX-8), Fantasy Eight-90 (AX-8-90), and Fantasy Nine-122
(AX-9-122)

Description of Type Design Change :

The attachment of various Basket (Gondola) and Burner (Heater) Systems as specified on Fantasy Sky Promotions "Eligibility list" Drawing no. SB90 rev.6 dated July 21, 2005 and Transport Canada approved November 22, 2005 or later Transport Canada approved revision.

Limitations and Conditions :

1. The Balloon/envelope must be operated in accordance with Fantasy Sky Promotions Flight Manual, Issue 2, Transport Canada approved March 13, 1992 or later Transport Canada approved revision.

(See Continuation Sheet 2)

This certificate and the supporting data which is the basis for approval shall remain in effect until surrendered, suspended, revoked or a termination date is otherwise established by the Administrator of the Federal Aviation Administration.

Date of application: February 21, 1990

Date reissued :

Date of issuance: April 20, 1990

Date amended : November 13, 1990, May 26, 1993,
May 25, 1994, November 1, 1995, January 30, 2006



By direction of the Administrator

Kevin R. Bowley
(Signature)

For Anthony Socias
Manager
New York Aircraft Certification Office

(Title)

Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both.

United States of America
Department of Transportation -- Federal Aviation Administration
Supplemental Type Certificate
(Continuation Sheet)

Number SB750NE

Date of Amendment: January 30, 2006

Limitations and Conditions (Continued):

2. The basket, burner and fuel cylinders must be operated in accordance with their manufacturer's Flight Manual(s) as listed in the applicable Type Certificate as noted in the "Eligibility List" Drawing no. SB90 rev. 6 dated July 21, 2005.
3. The envelope must be maintained in accordance with Fantasy Sky Promotions Free Flight Hot Air Balloon Maintenance Manual, Issue 2, dated March 13, 1992 or later Transport Canada approved revisions.
4. The basket, burners and fuel cylinders must be maintained in accordance with their manufacturers Maintenance Manuals(s) as listed in the applicable Type Certificate as noted in the "Eligibility List" Drawing no. SB90 rev. 6 dated July 21, 2005.
5. When combining any envelope with any basket/burner system, the component with the lowest Maximum Allowable Weight will be chosen as the Maximum Allowable All Up Weight for the combination of components.
6. A copy of this certificate along with a copy of the "Eligibility List" Drawing no. SB90 rev. 6, dated July 21, 2005 or later Transport Canada approved revisions will be attached to the applicable Fantasy Sky Promotions Flight Manual, Issue 2, Transport Canada approved March 13, 1992 of later Transport Canada approved revisions.
7. The AX-8 (105,000 cu.ft.) when certified to the higher Maximum Allowable All Up Weight of 1,800 lbs and the AX-9-122 must always be equipped with dual burners. Minimum burner system allowed for these balloons are as follows:
 - For Thunder and Colt, Double Mark 2 or Magnum burners or subsequent.
 - For Cameron, Double Mark IV burners or subsequent.
 - For Aerostar (Raven), Double Mark HP burners or subsequent.
 - For Lindstrom (Kempner), Jestream Double burners or subsequent.
 - For Balloon Works (Sidney Conn), T3-017 Double burners or subsequent
8. Fantasy Sky Promotions to provide a copy of their balloon flight manual to each operator that purchases a fantasy envelope under this STC.
9. Compatibility of this design change with previously approved modifications must be determined by the installer.
10. If the holder agrees to permit another person to use the certificate to alter the product, the holder shall give the other person written evidence of that permission.

...END...

Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both.

FANTASY SKY PROMOTIONS INC.

Drawing No. SB90 Rev. 6
July 21, 2005


Eligibility List: SB90 Rev. 6

The following Gondola and Burner combinations are approved for use on the Fantasy Sky Promotions Inc., Fantasy Balloon models (listed below) when the listed envelope changes are incorporated and the applicable manufacturers approved flight manual for the selected basket and burner(s) combination is attached to the basic DOT approved flight manual for the Fantasy Sky Promotions Inc. envelope.

For Fantasy envelope models: AX-6	Fantasy Drawing No. D-700677
AX-7	Fantasy Drawing No. D-700672 Rev G
AX-7-65	Fantasy Drawing No. D-700677
AX-8	Fantasy Drawing No. D-700673 Rev. B
AX-8-90	Fantasy Drawing No. D-700676
AX-9-122	Fantasy Drawing No. D-700681

DOT Approved: October 3, 1994

Page 1 of 15




MANUFACTURER	GONDOLA MODEL	BURNER MODEL	TA	TC	FANTASY ENVELOPE CHANGES	
CAMERON	Cameron baskets to any size specified in:	Cameron Burners	B-2 and B-3	B1GL B2GL B3GL B4GL	Larger diameter thimbles used on suspension cables (increase from 1/8" to 3/16").	
	Dwg. CB300 or	Mk 3 Double Dwg. CB205 or				
	Dwg. CB301 or	Mk 4 Single Dwg. CB391 or				
	Dwg. CBUS301-5 or	Mk 4 Single Dwg. CBUS391 or				
	Dwg. CB301-7 or	Mk 4 Double Dwg. CB392 or				
	Dwg. CB302 or	Mk 4 Double Dwg. CBUS392 or				
	Dwg. CB300-1 or	Mk 4 Super Dwg. CB579 or				
	Dwg. CB 300-2 or	Single, Dwg. CB 200 or				
	Dwg. CB 300-2A or	Double, Dwg. CB 2008 or				
	Dwg. CB 300-3 or	Double, Dwg. CB 2075 or				
	Dwg. CB 300-3A or	Double, Dwg. CB 2101 or				
	Dwg. CB 300-4 or	Single, Dwg. CB 2107 or				
	Dwg. CB 300-4A or	Double, Dwg. CB 2215 or				
	Dwg. CB 302-1 or	Double, Dwg. CB 2222 or				
	Dwg. CB 302-3 or	Double, Dwg. CB 2239 or				
	Dwg. CB 302-4 or	Double, Dwg. CB 2240 or				
	Dwg. CB 303 or	Double, Dwg. CB 2243 or				
	Dwg. CB 308 or	Double, Dwg. CB 2244 or				

DOT APPROVED: July 21, 2005

TC Approved
NOV 22 2005

MANUFACTURER	GONDOLA MODEL	BURNER MODEL	TA	TC	FANTASY ENVELOPE CHANGES	
CAMERON (continued)	Cameron baskets to any size specified in:	Cameron Burners	B-2 and B-3	B1GL B2GL B3GL B4GL	Larger diameter thimbles used on suspension cables (increase from 1/8" to 3/16").	
	Dwg CB 310-1A or	Single, Dwg CB 2245 or				
	Dwg CB 310-2A or	Single Dwg CB 2246 or				
	Dwg CB 310-3A or	Single Dwg CB 2296 or				
	Dwg CB 310-4A or	Single Dwg CB 2297 or				
	Dwg CB 950 or	Double Dwg CB 460 or				
	Dwg CB 967 or	Double Dwg CB 494 or				
	Dwg CB 971 or	Double Dwg CB 595 or				
	Dwg CB 994 or	Single Dwg CB 391 or				
	Dwg CB 3051 or	Single Dwg CBUS 391 or				
	Dwg CB 3033 or	Single Dwg CB 2130-1 or				
	Dwg CB 3054 or	Single Dwg CB 2130-2 or				
	Dwg CB 3060 or	Double Dwg CB 205 or				


DOT APPROVED: July 21, 2005



MANUFACTURER	GONDOLA MODEL	BURNER MODEL	TA	TC	FANTASY ENVELOPE CHANGES	
CAMERON (continued)	Cameron baskets to any size specified in:	Cameron Burners	B-2 and B-3	B1GL, B2GL, B3GL, B4GL	Larger diameter thimbles used on suspension cables (increase from 1/8" to 3/16").	
	Dwg CBUS 301 or	Double, Dwg CB 392 or				
	Dwg CB 301-7 or	Double, Dwg CBUS 392 or				
	Dwg CB 301-8 or	Double, Dwg CB 579 or				
	Dwg CB 301-9 or	Double, Dwg CBUS 579 or				
	Dwg CBUS 302 or	Double, Dwg CB 579-1 or				
	Dwg CB 302-1 or	Double, Dwg CB 579-2 or				
	Dwg CBUS 302-1 or	Double, Dwg CB 2075-1 or				
	Dwg CB 302-2 or	Double, Dwg CB 2075-2 or				
	Dwg CBUS 302-2 or	Double, Dwg CB 2059 or				
	Dwg CB 302-3 or	Double, Dwg CB 2702 or				
	Dwg CBUS 302-3 or	Double, Dwg CB 2832 or				
	Dwg CB 302-4 or	Triple, Dwg CB 378 or				

DOT APPROVED: July 21, 2005

Page 4 of 15



MANUFACTURER	GONDOLA MODEL	BURNER MODEL	TA	TC	FANTASY ENVELOPE CHANGES	
CAMERON (continued)	Cameron baskets to any size specified in:	Cameron Burners	B-2 and B-3	B1 GL B2 GL B3 GL B4 GL	Larger diameter thimbles used on suspension cables (increase from 1/8" to 3/16").	
	Dwg CBUS 302-4 or	Triple, Dwg CB 663 or				
	Dwg CB 310-1A or	Quadruple, Dwg CB 452 or				
	Dwg CB 310-2A or	Triple, Dwg CB 378 or				
	Dwg CB 310-3A or	Triple, Dwg CB 663-1 or				
	Dwg CB 310-4A or	Triple, Dwg CB 663-2 or				
	Dwg CB 310-5A or	Triple, Dwg CB 2081-1 or				
	Dwg CB 754 or	Triple, Dwg CB 2081-2 or				
	Dwg CB 755 or	Triple, Dwg CB 2703 or				
	Dwg CB 860 or	Triple, Dwg CB 2833 or				
	Dwg CB 862 or	Quadruple, Dwg CB 616 or				
	Dwg CBUS 1056 or	Quadruple, Dwg CB 2083 or				
	Dwg CB 3004 or	Quadruple, Dwg CB 2083-2 or				
	Dwg CB 3022 or	Quadruple, Dwg CB 2704 or				

DOT APPROVED: July 21, 2005

TC Approved
NOV 22 2005

MANUFACTURER	GONDOLA MODEL	BURNER MODEL	TA	TC	FANTASY ENVELOPE CHANGES	
AEROSTAR (RAVEN)	Aerostar Baskets	Aerostar Burner Assemblies	*	A15CE	Suspension cable lengths as specified by Aerostar Continuing Airworthiness Manual. Suspension brackets as specified by Aerostar Continuing Airworthiness Manual and TC No. A15CE	
	G Series (Aluminum) Dwg. D-01919 or	H.P. single Dwg. D-13155 or				
	Model W (wicker) Dwg. D-12717 or	H.P. dual Dwg. D-13050 or				
	G Series H P (Aluminum) Dwg. D-12570 or	H.P. single, high control Dwg. D-14170 or				
	Model W, H P (Wicker) Dwg. D-12560 or	H.P. dual, high control Dwg. D-14160 or D-13180 or				
	G Series H P high control (Aluminum) Dwg. D-13843 or	Rally II Dwg. D-17399 or				
	Model W H.P. high control (Wicker) Dwg. D-13842 or	H.P. II, single Dwg. D-17398 or				
	Model CW (Wicker) Dwg. D-13860 or	H.P. II dual Dwg. D-17395 or				
	Model RW (Wicker) Dwg. D-14530 or	Convertible Burner Assembly Dwg. D-15370 or				
	Model CW-V (Wicker) Dwg. D-15325 or	H.P. II Convertible Dwg. D-17400 or				
	Model RWS (Wicker) Dwg. D-52131 or	Rally Dual - Inlet Dwg. D-51464 or				
	Model CW-s (Wicker) Dwg. D-51620 or	H.P. III Dual Dwg. D-52350 or				
	Model RB8 (Wicker) Dwg. D-52430 or	H.P. III Single Dwg. D-52370				


DOT APPROVED: July 21, 2005

* NOTE - Accepted in Canada before the
requirement to be done with a
TCCA number

TC Approved
NOV 2 2005

MANUFACTURER	GONDOLA MODEL	BURNER MODEL	TA	TC	FANTASY ENVELOPE CHANGES	
AEROSTAR (RAVEN) continued	Aerostar Baskets	Aerostar Burner Assemblies		A15CE	Suspension cable lengths as specified by Aerostar Continuing Airworthiness Manual. Suspension brackets as specified by Aerostar Continuing Airworthiness Manual and TC No. A15CE	
	Model RB6 (Wicker) Dwg. D-52428 or	Double Dwg D-04420 or				
	Model TW (Wicker) Dwg. D-51076 or	Single Dwg D-09645 or				
	Model ELS (Wicker) Dwg. D-52440 or	Double Dwg D-10118 or				
	Model TW (Wicker) Dwg. D-51076-1-2 or	Four Burner Dwg D-12323 or				
	Model RB6 (Wicker) Dwg. D-52430 or	HP Burner Blower Dwg D-17642 or				
	Model RB8 (Wicker) Dwg. D-52428 or	HP III Single Dwg D-52370-01 or				
	Model ELSS (wicker) Dwg D-53095 or	Aurora Single Dwg D-52370-02 or				
	Model RWSW (wicker) Dwg D-53030 or	HP III Triple Dwg D-52950				
	Model CW-AFX wicker Dwg D-53160 or					
	Model RWSW-AFX wicker Dwg D-53130 or					
	Model RB5 (wicker) Dwg D-52805 or					
	Model RB12 (wicker) Dwg D-52430-02 or					

DOT APPROVED: July 21, 2005




MANUFACTURER	GONDOLA MODEL	BURNER MODEL	TA	TC	FANTASY ENVELOPE CHANGES	
THUNDER & COLT	Thunder & Colt Baskets Nominal Base Dimensions (in.)	Thunder & Colt Burner Assemblies	B-3 and B-5	B2EU and B3EU	No changes to suspension cable lengths.	
	40x40 Dwg. 831025-1 Dwg. 810402-1 Dwg. 850906-5 Dwg. 850906-3 or	Colt mk 2 single burner Dwg. 800321-3 or B2-50 or				
	40x48 Dwg. 831025-1 Dwg. 850911-1 Dwg. 850911-3 or	Colt mk 2 double burner Dwg. 791024-3 or B2-100 or				
	40x54 Dwg. 810402-1 Dwg. 850815-1 Dwg. 850815-3 Dwg. 850814-1 Dwg. CB 8002-4 or	Colt mk 2 triple burner Dwg. 830726-5 & B2-300 or				
	40x60 Dwg. 850912-1 Dwg. 850913-1 Dwg. 850913-3 or	Colt mk 2 quad burner Dwg. 811022-1 & B2-500 or				
	48x70 Dwg. 850916-1 Dwg. 850916-3 Dwg. 850917-1 or	Colt mk 2 triple + liquid burner Dwg. 850322-1 & B2-400 or				
	60x70 Dwg. 850514-1 Dwg. 850514-3 Dwg. 850904-1 Dwg. 850904-3 or	Colt mk 3 double burner Dwg. 871105-1 or				
	48x68 Dwg. BA 500 or	Colt magnum superseal double burner Dwg. B3T-100 & B3T-200 or				
	60x98 Dwg. BA 800 or	Stratus Double Burner Dwg. CB8720 & series and or				

DOT APPROVED: July 21, 2005

TC APPROVED
NOV 22 2005

MANUFACTURER	GONDOLA MODEL	BURNER MODEL	TA	TC	FANTASY ENVELOPE CHANGES	
THUNDER & COLT continued	Thunder & Colt Baskets Nominal Base Dimensions (in.)	Thunder & Colt Burner Assemblies	B-3 and B-5	B2EU and B3EU	No changes to suspension cable lengths.	
	60x102 Dwg 8505101 Dwg 850306-1 Dwg 850510-3 or	Adjustable Height Double Burner Frame Dwg CB8821-4 or				
	60x118 Dwg BA900 or	Colt Mk 3 Triple Dwg B3-300 or				
	65x123 Dwg CB8229 or	Colt Mk 3 Triple with quiet burner Dwg B3-400 or				
	SERIES 40 Dwg 31:27:-4+8 or	Colt Magnum Superscal Triple/Quiet Burner Dwg B3T -400 or				
	SERIES 40 PLUS Dwg 31:27:8/9	T&C Stratus Triple Dwg CB8730 & Series				
		Colt Mk 2 Quad with Quiet Burner Dwg 850327-1 or				
		Colt Mk3 Quad Dwg B3-500 or				
		Colt Magnum Superscal Quad Dwg B3T-500 or				
		T&C Stratus Quad Dwg CB 8740 & Series or				
		Colt Mk2 Quad with Quiet Burner Dwg 850327-1				
		Thunder Mk 1 Dwg 31:47:01 or				
		Thunder Mk 2 Dwg 31:47:08 or				

DOT APPROVED: July 21, 2005



MANUFACTURER	GONDOLA MODEL	BURNER MODEL	TA	TC	FANTASY ENVELOPE CHANGES	
LINDSTRAND / KEMPNER	Lindstrand / Kempner baskets. Nominal base dimensions (in.)	Lindstrand / Kempner Burner Assemblies	B-8	B00010CH	No changes to suspension cable lengths.	
	Dwg: BA-001-A-001 43x45 or	Jetstream Single Dwg: BU-001-A-001 or				
	Dwg: BA-002-A-001 43x51	Jetstream Double Dwg: BU-002-A-001 or				
	Dwg: BA-002-A-002 43x51 or	Jetstream Double Dwg: BU-003-A-001 or				
	Dwg: BA-003-A-001 43x61 or	Jetstream Triple Dwg: BU-004-A-001 or				
	Dwg: BA-003-A-002 43x61 or	Jetstream Triple+CLF Dwg: BU-005-A-001 or				
	Dwg: BA-004-A-001 33x39 or	Jetstream Triple Dwg: BU-005-A-001 or				
	Dwg: BA-005-A-001 39x44 or	Jetstream Quad Dwg: BU-006-A-001 or				
	Dwg: BA-006-A-001 39x49 or	Jetstream Super Single Dwg: BU-007-A-001 or				
	Dwg: BA-007-A-001 39x54 or	Jetstream Double Dwg: BU-008-A-001 or				
	Dwg: BA-008-A-001 48x57 or	Jetstream Triple Dwg: BU-008-A-002 or				
	Dwg: BA-009-A-001 38x40 or	Jetstream Triple Dwg: BU-010-A-001 or				
	Dwg: BA-010-A-001 48x49 or	Jetstream Triple Dwg: BU-010-A-002 or				

DOT APPROVED: July 21, 2005

TC Approved

NOV 22 2005

MANUFACTURER	CONDOLA MODEL	BURNER MODEL	TA	TC	FANTASY ENVELOPE CHANGES	
LINDSTRAND / KEMPNER (continued)	Lindstrand / Kempner baskets, Nominal base dimensions (in.)	Lindstrand / Kempner Burner Assemblies	B-8	B00010CH	No changes to suspension cable lengths.	
	Dwg: BA-011-A-001 48x65 or	Jetstream Triple BU-010-A-002 or				
	Dwg: BA-011-A-002 48x65 or	Jetstream Triple BU-010-A-003				
	Dwg: BA-012-A-001 48x73 or					
	Dwg: BA-013-A-001 48x81 or					
	Dwg: BA-014-A-001 48x87 or					
	Dwg: BA-015-A-001 48x102 or					
	Dwg: BA-034-A-001 55x94 or					
	Dwg: BA-035-A-001 55x94 or					
	Dwg: BA-040-A-001 51x97					

DOT APPROVED: July 21, 2005

TC Approved
NOV 22 2005

MANUFACTURER	GONDOLA MODEL	BURNER MODEL	TA	TC	FANTASY ENVELOPE CHANGES	
BALLOON WORKS SIDNEY CONN	Balloon Works Baskets Nominal Base Dimensions (ft.)	Balloon Works Burner Assemblies	B-9	A14SO	Install Fantasy 3-Point hook up cable set with carabiners. Dwg: SB90-2 & SB90-3	
	Firefly 3.9 or	T3-017 Single or				
	Firefly 4.0 or	T3-017 Double or				
	Firefly 4.5 or	F1 Mirage Single or				
	Firefly 4.9 or	F1 Mirage Double				
	Firefly 5.0 or					
	Firefly S5.0 or					
	Firefly 4.9DB or					
	Firefly S5.0DB or					
	Firefly 5.9 or					
	Firefly 6.0 or					

DOT APPROVED: July 21, 2005

